

Official Testing Form

Customer Label

Fieldman:
Producer#:
Name:
Ph:
email:

Petrifilm Controls				INC. Temp	
H ₂ O		AIR		0 Hour	
PAC		Pipette		24 Hour	
PCC		HSCC		48 Hour	
Anti Controls					
		Result		Interp	
POS					
NEG					

Date Rec'D:	Time Rec'D:
Temp Rec'D:	Received By:
Date Sampled:	Time Sampled:
Temp Sampled:	Sampled By:
Date Tested:	
License No:	

						Temp Tested:	Tested By:	Time Tested:
	Sample ID							
	Anti: SL							
	Anti: SL							
	Anti: Delvo 5 Pack							
	PAC 1:10							
	PAC 1:100							
	PAC 1:1000							
	PAC CALC							
	PLC							
	LP - dilution							
	PI - dilution							
	Coli							
	E Coli							
	HSCC							
	Staph A							
	BACTO SPCx1000							
	BACTO PICx1000							
	Phosphatase							
	DMC							
	DMSCC							
	ESCC x/ 1000							
	BFAT							
	Protein							
	Lactose							
	O Solid							
	T Solid							
	MUN							
	E FPD							

Comments:

Immediate

Emergency



Dairy One

720 Warren Road • Ithaca, NY • 14850
 Phone: 800-344-2697 • Fax: 607-257-6808 • www.dairystone.com
 IMS#36158 2/2018